Online ISSN

3007-1941

Print ISSN
3007-1933

https://msra.online/index.php/Journal/about



Muhammad Asif¹, Stella Naheed², Iqra³ Article Details ABSTRACT

| Keywords : Baccalaureate Nursing, Systematic Review, Artificial Intelligence | c Aim. To synthesize the available evidence on the applicability of artificial intelligence in nursing care. Background. Artificial intelligence involves the replication of human cognitive abilities in machines, allowing to perform tasks that conventionally necessitate human cognition. However, its application in health sciences is a recent one, and its use is currently limited to supporting the diagnosis |
|--|--|
| Muhammad Asif | and prognosis of hospitalized patients, among others. Evaluation. A systematic |
| RN, DCHN, POST RN BSN, MSN SCHOLAR | , review was conducted in the PubMed-Medline, Scopus, CINAHL, Web of Science, |
| Lecturer IUNC Karachi. | and Nursing & Allied Health databases until September 2022, following the |
| <u>asif.shah@iqra.edu.pk</u> | PRISMA guidelines. Key Issues. A total of 21 articles were selected for the review. |
| Stella Naheed | different applications of artificial intelligence in nursing identified comprised (i) |
| MSN Post RN BSN, Midwifery, RN, Lecturer a ZUFONAM. | advances in early disease detection and clinical decision making; (ii) artificial |
| Stella.naheed@zu.edu.pk | intelligence-based support systems in nursing for patient monitoring and |
| Iqra | workflow optimization; and (iii) artificial intelligence insights for nursing training |
| MSPH From Szabist university, Lecture | r and education. Conclusion. Artificial intelligence-based systems demonstrated |
| ZUFONAM. | increased autonomy of patients and professionals in care processes such as wound |
| <u>iqra.qureshi@zu.edu.pk</u> | management through guided instructions, improved workflows, and efficiency in |
| | terms of time, materials, and human resources. Implications for Nursing |
| | Management. Artificial intelligence applied to nursing practice can be a very useful |
| | resource for professionals, managers, and supervisors. It has the potential to |
| | change current working flow systems and may serve as a down-to-earth resource |
| | to support nursing professionals in their decision-making process that ensures |
| | high quality and patient safety care. |
| | |

MSRA VOL. 3 Issue. 2 2025

DOI: Availability

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

INTRODUCTION

Artificial intelligence (AI) refers to the simulation of human intelligence in machines that are designed to perform tasks that typically require human cognition, such as problem solving, decision making, and pattern recognition [1, 2]. Due to its access to information, AI-based support systems can assist in making clinical decisions and therefore achieve better medical attention based on evidence $\lceil 3-5 \rceil$. In order to understand what AI entails, it is important to consider the various functions that contribute to its intelligence. These functions include machine learning (ML), natural language processing (NLP), behavioral pattern recognition, search engine capabilities, image and sound analysis, environmental perception, databases, information classification, and artificial neural networks. Additionally, another important aspect of AI is robotic process automation (RPA), which refers to the use of software robots to automate repetitive and routine tasks and physical robots, which are physical machines that can be programmed to perform tasks in the physical world [6, 7]. The application of AI as a support system in healthcare has gained special relevance in recent decades, mainly as a result of growing data ecosystems in healthcare systems [8, 9]. In general terms, AI-based support systems offer a potential resource for reducing the cost of healthcare, increasing the efficiency of said services, and creating a highly valued support system for the well-being of patients and the healthcare sector in general, contributing to the satisfaction and clinical safety of patients and their family members $\lceil 3-5 \rceil$. However, the introduction of AI-based support systems in nursing care continues to cause concerns and debates due to the fear that this type of technology could eventually replace human interactions, jeopardizing the ethics of care, and above all, that AI could eventually replace the functions of nurses $\lceil 10 \rceil$. Other ethical issues include the management of bias in data and its use to generate algorithms $\lceil 11 \rceil$.

Despite the challenges, the use of AI in nursing aims to provide support and improve outcomes. As observed in the literature, the technology can address certain issues such as lack of expertise or inadequacy in experience, streamline documentation, and provide access to current evidence-based practices to ensure high-quality patient care, thus reducing the feeling of frustration that professionals have due to the organizational burden $\lceil 10, 12 \rceil$. Nurses play a crucial role in the delivery of patient care, and the increasing demand for high-quality, evidence-based practices has put pressure on the nursing workforce to stay up to date with the latest technological advancements $\lceil 12 \rceil$. In this regard, AI has the potential to support nursing practices by providing real-time decision support, reducing the time spent on administrative tasks, and facilitating the efficient management of patient data and care $\lceil 13, 14 \rceil$. In light of the rapidly evolving technological advancements in healthcare, it is important to evaluate the potential applications of AI on nursing practice. In this vein, recent systematic reviews have revealed promising results that AI can offer in the area of diagnosis and prognosis of certain clinical situations, such as cancer or new-onset pathologies in hospitalized patients $\lceil 15, 16 \rceil$. However, to our knowledge, the current body of literature that focuses on the application of different types of AI-based support systems in nursing is still limited, despite constituting one of the largest potential users of this type of technology as experts in caregiving. Tus, the aim of this review was to synthesize the available evidence on the applicability of artificial intelligence in nursing care.

METHODS

A systematic review was conducted in September 2022, following the recommendations of the Preferred Reporting Items for Systematic Reviews and Meta Analyses (PRISMA) statements

⁹⁷ MSRA VOL. 3 Issue. 2 2025

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

 $\lceil 17 \rceil$ (Supplementary File 1). the clinical question that responds to the aim of this review used a PCC structure (population-concept-context) [18] and is stated as follows: What is the applicability of artificial intelligence (C) in nursing (P) for patient care (C)? Te review protocol was not registered. 2.2. Search Strategy. the databases that were consulted include PubMed-Medline, Scopus, CINAHL, Web of Science, and Nursing & Allied Health. In order to identify potential studies in the different databases, a search strategy was developed in collaboration with a research librarian and an information specialist that combined natural and structured language through the Medical Subject Headings (Mesh) (Table 1). 2.3. Selection Criteria. these inclusion criteria for the study were as follows: (i) original studies that focused on the use of AI in nursing and healthcare practice or (ii) nursing education, (iii) published in English or Spanish, and (iv) published until September 2022. Articles relating to nursing education were regarded as an integral part of nursing practice, as it furnishes the necessary knowledge and skills for providing quality patient care. On the other hand, (i) review studies, (ii) republications, (iii) editorials, and (iv) studies on animals were not considered. 2.4. Data Screening. the initial selection process in this study involved searching through the main health science databases (as listed in Table 1) to locate relevant evidence on the topic being addressed. This was followed by a two-stage screening process. In the first stage, two researchers (A.M.- O. and M.R.-A.) conducted an independent and parallel reading of the titles and abstracts of the available articles, taking into account the predefined selection criteria [19]. After this stage, duplicates were removed. In the second stage, the selected articles underwent a more in-depth reading by the reviewers.

To ensure methodological rigidity, a third auditor (P.R.) was consulted in case of any discrepancies, and a consensus on article eligibility was reached through rechecking the information $\lceil 20 \rceil$. Finally, the authors evaluated the methodological quality of the selected articles and classified them based on the type of AI used, the target population, and the purpose for which it was implemented [21]. 2.5. Quality Evaluation. Appropriate methodological quality analysis tools were utilized for each study, using the Joanna Briggs Institute (JBI) Critical Appraisal Tools [22]. For articles with a mixed design, methodological quality was assessed with the Mixed Methods Appraisal Tools (MMAT) [23, 24]. 2.6. Data Abstraction and Synthesis. Te reviewers held discussions to determine the variables, as well as the nature and extent of the information to be extracted from the eligible articles, to ensure consistency and clarity of charted data [25]. After piloting on a sample of 5 articles, a custom data extraction was created in Microsoft Excel and iterated on, the most significant data of the selected studies included (i) author(s) and publication year, (ii) study design, (iii) participants and population, (iv) variable(s), (v) type of artificial intelligence, (vi) application in nursing practice, (vii) main findings, and (viii) mean level of compliance in the evaluation of methodological quality. Meta-analysis was not considered due to the heterogeneity of methodologies among the selected articles. Once the data were extracted, they were reviewed and discussed to deductively organize the main findings into clear and explicit categories in order to provide a critical synthesis of the cumulative evidence $\lceil 26, 27 \rceil$.

RESULTS

The initial search yielded a total of 3,443 documents. After eliminating duplicates and selecting the articles by title and abstract, 56 full-text publications were reviewed according to the established selection criteria. In the end, a total of 21 articles were included in this review (Figure 2). 3.1. Included Studies. the synthesis of the included studies can be seen in Table 2.

⁹⁸ MSRA VOL. 3 Issue. 2 2025

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

the sample size of the studies ranged from 10 participants to 230,936 participants, with a mean sample size of 14,948 participants. the predominant study population consisted of ambulatory patients (n 10), healthcare professionals (n 7), hospitalized patients (n 5), students (n 3), and caregivers (n 1). Regarding the aim of the study, the different applications of artificial intelligence were differentiated as a support system for early disease detection (n 4), clinical decision making (n 3), patient monitoring (n 7), workflow optimization (n 3), and nursing training and education (n 3). In addition, some descriptive studies (n 1) analyzed the acceptance of the use of AI in the healthcare setting from a social and occupational perspective. Overall, 18 studies (85.7%) showed positive results in the application of this technology in nursing practice, while 3 studies (14.28%) indicated no impact on their results. Methodological Quality: Assessment of Bias. the evaluation of the methodological quality of the articles included in this review showed a mean level of compliance of 74.60%. the interval risk of bias between the studies was 88.8% (n 2) to 42.85% (n 1) (Supplementary File 2) [22, 23]. the results of this review were presented based on the application of each type of AI discussed in the selected articles $\lceil 28 \rceil$. Tus, the categories used for the qualitative comprised the advancements in early disease detection and clinical nursing decision making, the utilization of Abased support systems for patient monitoring and workflow optimization, and the use of AI for nursing training and education. the main AI-based systems studied include ML, RPA, NLP, and physical robots (Figure 1) [29-31]. 3.3. Advances in Early Disease Detection and Clinical Decision Making. Of the selected studies, 33.33% (n 7) applied AI technology based on ML models, of which 57.14% (n 4) were used for the early disease detection. the diagnostic criteria of nurses and doctors improved by 12% and 10%, respectively, as a result of assistance from AI.

Tis led to improved diagnosis of complex conditions, enhancing the accuracy and effectiveness of patient care. Likewise, the professionals who used AI reported an increase in their confidence in evaluations and clinical decision making by providing real-time analysis and interpretation of patient data and a decrease in biopsy requests, highlighting the improvement in the dermatological feld and in the detection of certain cardiac diseases, such as cardiac amyloidosis $\lceil 31, 32 \rceil$. In the same manner, the research by Ginestra and collaborators $\lceil 33 \rceil$ and Sandhu and collaborators [34] used different AI-based support systems for early warnings of sepsis risk through static (demographics and previous illnesses) and dynamic (vital signs and laboratory data) patient characteristics. Conversely, Horng and collaborators $\lceil 35 \rceil$ used a ML system combined with NLP to assess the ability to diagnose patients by adding comments that doctors and nurses wrote in medical records. Tus, the specificity, sensitivity, and area under the curve for the detection of sepsis were higher in the model that used the comments from medical records than those intelligent systems that only evaluated static and dynamic characteristics. Finally, one of the main measures used in the studies to assess the effect of AI on clinical nursing practice was the use of reference diagnoses. [31, 32], in which at least three certified physicians independently reviewed each case. These diagnoses were obtained through a collective intelligence approach, in which the different differential diagnoses of each physician were ranked through a voting system to finally obtain a principal or reference diagnosis, in order to assess the effect produced by the AI in each case [7, 32, 36]. On the other hand, satisfaction surveys were used as a method of measuring the effect of AI on nurses, patients, and students [30, 36, 37]. AI-Based Support Systems in Nursing for Patient Monitoring and Workflow Optimization. Pancetta and collaborators [38] demonstrated in their results that 93% of participants from intensive care units (ICUs) were in favor of the use of AI-based

og MSRA VOL. 3 Issue. 2 2025

https://msra.online/index.php/Journal/about

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

support systems, specifically the use of wireless sensors to reduce false positive alarms. In regard to predicting the risk of readmission in these units, the conventional scales used obtained significantly lower sensitivity and area under the curve, compared with models that used ML algorithms [39]. In 4.76% (n 1) of the studies included in this review, programmes that integrated image recognition was also analyzed to extract data and update the medical records of patients [40]. Specifically, programmes carried out to manage diabetic foot ulcers were evaluated by three different devices and their effectiveness was compared with an expert wound care nurse, demonstrating excellent intra-reliability and interreliability in their results with a value greater than 0.9 in length, width, and wound area. Regarding the use of a conversational agent or chatbots, authors such as da Silva Lima Roque et al. [41] examined its use for examining and identifying personalized wound treatments. the content validity of this resource was rated as excellent by healthcare experts in wounds, and the images shown to the users were comprehensible in 88% of the cases. Among the participants, the most repeated assessments of the AI-based support system were easy to use, suitable for any user, dynamic, entertaining, and quick to investigation.

DISCUSSION

The aim of this review was to synthesize the available evidence on the applicability of artificial intelligence in nursing care. After analyzing the selected studies, contrary to other studies on this topic, our findings suggest that the application of AI in the nursing field could improve care delivery, contingent on the type of artificial intelligence used and its various applications, such as early diagnosis, clinical nursing decision making, patient care management and monitoring, workflow optimization, and nursing education [29, 41, 50]. Among the uses analyzed in this review, similar to other recent reviews, one of the most commonly used types of support systems was based on ML models for diagnosis [15, 33-35, 51]. One possible explanation for the predominant use of this type of AI may be due to the use of its learning system for activities that are traditionally carried out by humans, but with much less time and expense $\lceil 52 \rceil$, these technological advances in AI are currently and predominantly focused on diagnosing diseases such as Alzheimer's, cancer, chronic or dermatological diseases, and more. This allows health professionals to have more time with their patients, use a holistic approach, and even improve patient satisfaction with health organizations [14, 15, 32, 40]. Therefore, diagnostic reliability should be considered in these studies, increasing the presence of comorbidities with the possibility of combining it with NLP models to improve the interpretation of comments from clinical histories [31, 33-35]. One of the types of artificial intelligence that has perhaps received the most attention in recent years within NLP is the rule-based expert system, not only for managing cases of COVID-19 symptoms, but also providing care for patients with social anxiety and older adults who are immunocompromised or at risk of isolation [46, 53]. these types of systems have proven to be effective in monitoring patients remotely in real time, improving the availability of updated clinical data, allowing more time for nursing care, and improving patient safety in primary care, special services, and remote areas [39, 42, 44, 54]. However, like other types of AI, the majority of systems that are based on monitoring patients from a distance still require longer learning phases to achieve clinical reliability, which impedes its implementation $\lceil 54 \rceil$. On the other hand, the use of other types of AI, such as the automation of robotic processes or physical robots $\lceil 45-47 \rceil$, has been shown to be satisfactory in some studies through their use as a mobile application, by increasing the effectiveness and efficiency of nurses' work in the field of tissue injuries and

100 MSRA VOL. 3 Issue. 2 2025

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

optimizing the identification and management of wounds, pain control during venipuncture, or adherence to treatment, among others [29, 55]. Nonetheless, there is still little known about these types of AI, unlike other more widespread ones such as systems based on natural language processing or explainable artificial intelligence [56]. the conversational agents developed through dialogue systems, NLP, and statistical models have demonstrated positive results in reducing the workload of nursing professionals in hospital administrative tasks $\lceil 57 \rceil$, treatment and follow-up of wound management [41], triage and nursing diagnosis [11, 30], and the training of future professionals [29, 58]. Despite the growing amount of evidence on this type of AI, other authors point out the shortcomings that this type of technology still has, including poor voice recognition, lack of expression and emphasis in speech, and frequently interrupted conversation, all of which prevent results with clinical relevance greater than usual practices from being reached [36, 43, 50]. Having said that, there are a growing number of relevant organizations, such as the Nursing and Artificial Intelligence Leadership Collaborative group, as well as important tech-companies, such as Open AI, that are currently thriving to identify priority areas for action, opportunities, and recommendations to address these concerns in healthcare practice [59-61]. However, there are some limitations to this study that should be noted. First, AI applied in healthcare and nursing care is still a growing practice with limited evidence due to studies which are in development and have a great heterogeneity in AI types and settings. Therefore, generalizations of the proposed results should be made cautiously. On the other hand, only the term "artificial intelligence" was used as a keyword to describe all AI methods. Although the MeSH term "artificial intelligence" includes most of AIbased systems in its tree structures, some features utilising specific AI methods but are not explicitly labelled as AI may have been overlooked. Carrying out a meta-analysis or metaregression was not considered in this review due to the heterogeneity in the types of AI, populations, and study variables.

In general, this review contributes to the existing knowledge of applying AI-based systems in the healthcare field and nursing practice. Although positive results were shown for most of the analyzed types, a greater number of studies are needed to consider the current limitations of these systems and the needs of professionals-users for the development of AIbased systems. There is still abundant room for further progress with these systems in terms of guaranteeing not only professional autonomy but also improved access to health information sources in order to optimize their use in multitasking to cover the greatest number of variables that may affect the patient, environment, clinical practice, and different medical services. Further research is needed to investigate how previous research findings using AI-based systems with virtual reality or simulated scenarios can be implemented in real life clinical nursing practice or analyses how these Abased support systems may improve patient safety and assist nurses in particular clinical settings. 4.1. Implications for Nursing Management. AI applied to nursing practice can be a down-to-earth resource for professionals, managers, or supervisors, with positive results in patient care and safety. It has the potential to change current working fow systems and provides support to nursing professionals when making decisions. AI-based systems are flexible tools which can adopt various essential functions in nursing care, such as guiding the patient with personalized instructions or remotely monitoring the patient in real time. Furthermore, it can be used in community care, remote areas, or in the hospital setting by identifying the possible diagnosis of the user early on, thereby accelerating the healthcare process. the greatest challenge in the development and

101 MSRA VOL.3 Issue. 2 2025

https://msra.online/index.php/Journal/about

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

implementation of this type of technology, however, continues to be the involvement and active participation of healthcare professionals and their commitment to its use.

CONCLUSIONS

Tis review offers a compilation of the available evidence on the different applications of AIbased support systems that can be implemented in nursing practice. the systems which are based on machine learning and natural language processing are the most widely used, demonstrating better results in different healthcare processes. Despite the limitations that still exist with this type of technology, the results of the different types of AI are promising. AIbased systems can assist in early diagnosis, clinical decision making, patient monitoring, and workflow optimization. However, it is important to consider ethical and privacy concerns as well as ensure that AI is used to augment and enhance the role of nurses rather than replace them [61].

DATA AVAILABILITY

Data sharing is not applicable to this article as no new data were created or analyzed in this study. Conflicts of Interest the authors declare that they have no conflicts of interest.

ACKNOWLEDGMENTS

The research presented in this paper was carried out as a part of the project "Evidence-based clinical decision-making in nursing using a conversational artificial intelligence" (P_LANZ_2023/005), from the University of Almeria, confined with FEDER funds from the European Commission and Regional Government of Andalusia. Pablo Roman, from the University of Almeria, leads the project.

REFERENCES

[1] C. Krittanawong, H. Zhang, Z. Wang, M. Aydar, and T. Kitai, "Artifcial intelligence in precision cardiovascular medicine," Journal of the American College of Cardiology, vol. 69, no. 21, pp. 2657–2664, 2017.

[2] S. J. Russell and P. Norvig, Artifcial Intelligence: A Modern Approach, Pearson Education Limited, 4 edition, 2022.

[3] T. R. Clancy, "Artificial intelligence and nursing: the future is now," Te Journal of Nursing Administration: Te Journal of Nursing Administration, vol. 50, no. 3, pp. 125–127, 2020.

[4] D. Hee Lee, S. N. Yoon, D. Lee, and S. N. Yoon, "Application of artifcial intelligence-based technologies in the healthcare industry: opportunities and challenges," International Journal of Environmental Research and Public Health, vol. 18, no. 1, pp. 1–18, 2021.

[5] F. Jiang, Y. Jiang, H. Zhi et al., "Artifcial intelligence in healthcare: past, present and future," Stroke and Vascular Neurology, vol. 2, no. 4, pp. 230–243, 2017.

[6] E. Koski and J. Murphy, "AI in healthcare," Studies in Health Technology and Informatics, vol. 284, pp. 295–299, 2021.

[7] K. McGrow, "Artifcial intelligence: essentials for nursing," Nursing, vol. 49, no. 9, pp. 46–49, 2019.

[8] B. Samhan, T. Crampton, and R. Ruane, "Te trajectory of it in healthcare at HICSS: a literature review, analysis, and future directions," Communications of the Association for Information Systems, vol. 43, no. 1, pp. 792–845, 2018.

[9] L. Zwaan and H. Singh, "Te challenges in defining and measuring diagnostic error," Diagnosis, vol. 2, no. 2, pp. 97–103, 2015.

[10] F. Stokes and A. Palmer, "Artifcial intelligence and robotics in nursing: ethics of caring as a guide to dividing tasks between AI and humans," Nursing Philosophy: An International

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

Journal for Healthcare Professionals, vol. 21, no. 4, Article ID e12306, 2020.

[11] H. von Gerich, H. Moen, L. J. Block et al., "Artifcial Intelligence-based technologies in nursing: a scoping literature review of the evidence," International Journal of Nursing Studies, vol. 127, Article ID 104153, 2022.

[12] K. Seibert, D. Domhof, D. Bruch et al., "Application scenarios for artifcial intelligence in nursing care: rapid review," Journal of Medical Internet Research, vol. 23, no. 11, Article ID e26522, 2021.

[13] G. J. Hwang, P. Y. Chang, W. Y. Tseng, C. A. Chou, C. H. Wu, and Y. F. Tu, "Research trends in artificial intelligenceassociated nursing activities based on a review of academic studies published from 2001 to 2020," CIN: Computers, Informatics, Nursing, vol. 40, no. 12, pp. 814–824, 2022.

[14] S. O'Connor, Y. Yan, F. J. S. Tilo, H. Felzmann, D. Dowding, and J. J. Lee, "Artifcial intelligence in nursing and midwifery: a systematic review," Journal of Clinical Nursing, vol. 32, no. 13–14, pp. 2951–2968, 2023.

[15] Y. Kumar, A. Koul, R. Singla, and M. F. Ijaz, "Artifcial intelligence in disease diagnosis: a systematic literature review, synthesizing framework and future research agenda," Journal of Ambient Intelligence and Humanized Computing, 2022.

[16] L. I. Veldhuis, N. J. C. Woittiez, P. W. B. Nanayakkara, and J. Ludikhuize, "Artifcial intelligence for the prediction of inhospital clinical deterioration: a systematic review," Critical Care Explorations, vol. 4, no. 9, Article ID e0744, 2022.

[17] D. Moher, A. Liberati, J. Tetzlaf, D. G. Altman, and D. Altman, "Preferred reporting Items for systematic reviews and meta-analyses: the PRISMA statement," PLoS Medicine, vol. 6, no. 7, Article ID e1000097, 2009.

[18] M. D. J. Peters, C. M. Godfrey, H. Khalil, P. McInerney, D. Parker, and C. B. Soares, "Guidance for conducting systematic scoping reviews," International Journal of EvidenceBased Healthcare, vol. 13, no. 3, pp. 141–146, 2015.

[19] C. Dawson, Practical Research Methods: A User-Friendly Guide to Mastering Research Techniques and Projects, How To Books, 3 edition, 2007.

[20] J. C. Valentine, L. V. Hedges, and H. Cooper, Te Handbook of Research Synthesis and Meta-Analysis, Russell Sage Foundation, 2019.

[21] P. Glasziou, L. Irwig, C. Bain, and G. Colditz, Systematic Reviews in Health Care: A Practical Guide, Cambridge University Press, 1 edition, 2001.

[22] Joanna Briggs Institute, "Critical appraisal tools," 2017, https://jbi.global/criticalappraisal-tools. [23] Q. Hong, P. Pluye, S. Fabregues et al., "Mixed methods ap-` praisal tool (MMAT): user guide," McGill, vol. 1–11, 2018.

[24] R. Pace, P. Pluye, G. Bartlett et al., "Testing the reliability and efficiency of the pilot Mixed Methods Appraisal Tool (MMAT) for systematic mixed studies review," International Journal of Nursing Studies, vol. 49, no. 1, pp. 47–53, 2012.

[25] Z. Munn, C. Tufanaru, and E. Aromataris, "JBI's systematic reviews: data extraction and synthesis," AJN, American Journal of Nursing, vol. 114, no. 7, pp. 49–54, 2014.

[26] R. F. Baumeister, "Writing a literature review," in Te Portable Mentor: Expert Guide to a Successful Career in Psychology, M. J. Prinstein, Ed., Springer, Berlin, Germany, pp. 119–132, 2013.

[27] R. F. Baumeister and M. R. Leary, "Writing narrative literature reviews," Review of General Psychology, vol. 1, no. 3, pp. 311–320, 1997.

```
103 MSRA VOL. 3 Issue. 2 2025
```

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

[28] C. Webb and B. Roe, Reviewing Research Evidence for Nursing Practice: Systematic Reviews, John Wiley & Sons, Hoboken, NJ, USA, 2008.

[29] C. Y. Chang, G. J. Hwang, and M. L. Gau, "Promoting students' learning achievement and self-efcacy: a mobile chatbot approach for nursing training," British Journal of Educational Technology, vol. 53, no. 1, pp. 171–188, 2021.

[30] A. Cho, I. K. Min, S. Hong, H. S. Chung, H. S. Lee, and J. H. Kim, "Efect of applying a real-time medical record input assistance system with voice artifcial intelligence on triage task performance in the emergency department: prospective interventional study," JMIR Medical Informatics, vol. 10, no. 8, Article ID e39892, 2022.

[31] E. Garc'ıa-Garc'ıa, G. M. Gonz'alez-Romero, E. M. Mart'ınPerez, D. Zapata Cornejo, G. Escobar-Aguilar, and 'M. F. Cardenas Bonnet, "Real-world data and machine ' learning to predict cardiac amyloidosis," International Journal of Environmental Research and Public Health, vol. 18, no. 3, p. 908, 2021.

[32] A. Jain, D. Way, V. Gupta et al., "Development and assessment of an artifcial intelligencebased tool for skin condition diagnosis by primary care physicians and nurse practitioners in teledermatology practices," JAMA Network Open, vol. 4, no. 4, Article ID e217249, 2021.

[33] J. C. Ginestra, H. M. Giannini, W. D. Schweickert et al., "Clinician perception of a machine learning-based early warning system designed to predict severe sepsis and septic shock," Critical Care Medicine, vol. 47, no. 11, pp. 1477–1484, 2019.

[34] S. Sandhu, A. L. Lin, N. Brajer et al., "Integrating a machine learning system into clinical workfows: qualitative study," Journal of Medical Internet Research, vol. 22, no. 11, Article ID e22421, 2020.

[35] S. Horng, D. A. Sontag, Y. Halpern, Y. Jernite, N. I. Shapiro, and L. A. Nathanson, "Creating an automated trigger for sepsis clinical decision support at emergency department triage using machine learning," PLoS One, vol. 12, no. 4, Article ID e0174708, 2017.

[36] S. Shorey, E. Ang, E. D. Ng, J. Yap, L. S. T. Lau, and C. K. Chui, "Communication skills training using virtual reality: a descriptive qualitative study," Nurse Education Today, vol. 94, Article ID 104592, 2020.

[37] C. L. Chang, "Efect of immersive virtual reality on postbaccalaureate nursing students' indwelling urinary catheter skill and learning satisfaction," Healthcare, vol. 10, no. 8, p. 1473, 2022.

[38] A. S. Poncette, L. Mosch, C. Spies et al., "Improvements in patient monitoring in the intensive care unit: survey study," Journal of Medical Internet Research, vol. 22, no. 6, Article ID e19091, 2020.

[39] J. C. Rojas, K. A. Carey, D. P. Edelson, L. R. Venable, M. D. Howell, and M. M. Churpek, "Predicting intensive care unit readmission with machine learning using electronic health record data," Annals of the American Toracic Society, vol. 15, no. 7, pp. 846–853, 2018.

[40] K. S. Chan, Y. M. Chan, A. H. M. Tan et al., "Clinical validation of an artifcial intelligence-enabled wound imaging mobile application in diabetic foot ulcers," International Wound Journal, vol. 19, no. 1, pp. 114–124, 2022.

[41] G. da Silva Lima Roque, R. Roque de Souza, J. W. Ara'ujo do Nascimento, A. S. de Campos Filho, S. R. de Melo Queiroz, and I. C. Ramos Vieira Santos, "Content validation and usability of a chatbot of guidelines for wound dressing," International Journal of Medical Informatics, vol. 151, Article ID 104473, 2021.

[42] E. Parimbelli, L. Sacchi, R. Budasu, C. Napolitano, M. Peleg, and S. Quaglini, "Te role of

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

nurses in e-health: the MobiGuide project experience," Studies in Health Technology and Informatics, vol. 225, pp. 153-157, 2016.

[43] Y. Bian, Y. Xiang, B. Tong, B. Feng, and X. Weng, "Artifcial intelligence-assisted system in postoperative follow-up of orthopedic patients: exploratory quantitative and qualitative study," Journal of Medical Internet Research, vol. 22, no. 5, Article ID e16896, 2020.

[44] L. Hong, X. Cheng, and D. Zheng, "Application of artifcial intelligence in emergency nursing of patients with chronic obstructive pulmonary disease," Contrast Media and Molecular Imaging, 2021.

[45] R. Boumans, F. van Meulen, K. Hindriks, M. Neerincx, and M. G. M. Olde Rikkert, "Robot for health data acquisition among older adults: a pilot randomised controlled cross-over trial," BMJ Quality and Safety, vol. 28, no. 10, pp. 793–799, 2019.

[46] B. Dinesen, H. K. Hansen, G. B. Grønborg et al., "Use of a social robot (LOVOT) for persons with dementia: exploratory study," JMIR Rehabilitation and Assistive Technologies, vol. 9, no. 3, Article ID e36505, 2022.

[47] L. A. Jibb, K. A. Birnie, P. C. Nathan et al., "Using the MEDiPORT humanoid robot to reduce procedural pain and distress in children with cancer: a pilot randomized controlled trial," Pediatric Blood and Cancer, vol. 65, no. 9, Article ID e27242, 2018.

[48] S. M. Jang, Y. J. Hong, K. Lee, S. Kim, B. V. Chiến, and J. Kim, "Assessment of user needs for telemedicine robots in a developing nation hospital setting," Telemedicine and e-Health, vol. 27, no. 6, pp. 670–678, 2021.

[49] H. Lee, M. Piao, J. Lee, A. Byun, and J. Kim, "Te purpose of bedside robots: exploring the needs of inpatients and healthcare professionals," CIN: Computers, Informatics, Nursing, vol. 38, no. 1, pp. 8–17, 2020.

[50] M. Milne-Ives, C. de Cock, E. Lim et al., "Te efectiveness of artifcial intelligence conversational agents in health care: systematic review," Journal of Medical Internet Research, vol. 22, no. 10, Article ID e20346, 2020.

[51] M. Mirbabaie, S. Stieglitz, and N. R. J. Frick, "Artifcial intelligence in disease diagnostics: a critical review and classification on the current state of research guiding future direction," Health Technology, vol. 11, no. 4, pp. 693–731, 2021.

[52] Y. Liu, T. Kohlberger, M. Norouzi et al., "Artifcial intelligence-based breast cancer nodal metastasis detection: insights into the black box for pathologists," Archives of Pathology & Laboratory Medicine, vol. 143, no. 7, pp. 859–868, 2019.

[53] D. Barbieri, E. Giuliani, A. Del Prete, A. Losi, M. Villani, and A. Barbieri, "How artifcial intelligence and new technologies can help the management of the COVID-19 pandemic," International Journal of Environmental Research and Public Health, vol. 18, no. 14, p. 7648, 2021.

[54] C. Kuziemsky, A. J. Maeder, O. John et al., "Role of artifcial intelligence within the telehealth domain," Yearbook of Medical Informatics, vol. 28, no. 01, pp. 035–040, 2019.

[55] A. Wells, S. Patel, J. B. Lee, and K. Motaparthi, "Artifcial intelligence in dermatopathology: diagnosis, education, and research," Journal of Cutaneous Pathology, vol. 48, no. 8, pp. 1061–1068, 2021.

[56] J. Jung, H. Lee, H. Jung, and H. Kim, "Essential properties and explanation effectiveness of explainable artifcial intelligence in healthcare: a systematic review," Heliyon, vol. 9, no. 5, Article ID e16110, 2023.

[57] J. Fernandez-Garc '1a, A. Spatharou, S. Hieronimus, J. Jenkins, and J. P. Beck,

105 MSRA VOL. 3 Issue. 2 2025

https://msra.online/index.php/Journal/about

https://msra.online/index.php/Journal/about

Volume 3, Issue 1 (2025)

"Transforming healthcare with AI. Te impact on the workforce and organisations," McKinsey & Company , vol. 10, 2020.

[58] M. Rodriguez-Arrastia, A. Martinez-Ortigosa, C. Ruiz-Gonzalez, C. Ropero-Padilla, P. Roman, and N. Sanchez-Labraca, "Experiences and perceptions of fnal-year nursing students of using a chatbot in a simulated emergency situation: a qualitative study," Journal of Nursing Management, vol. 30, no. 8, pp. 3874–3884, 2022.

[59] M. Cascella, J. Montomoli, V. Bellini, and E. Bignami, "Evaluating the feasibility of ChatGPT in healthcare: an analysis of multiple clinical and research scenarios," Journal of Medical Systems, vol. 47, no. 1, p. 33, 2023.

[60] C. É. Ronquillo, L. M. Peltonen, L. Pruinelli et al., "Artifcial intelligence in nursing: priorities and opportunities from an international invitational think-tank of the nursing and artifcial intelligence leadership collaborative," Journal of Advanced Nursing, vol. 77, no. 9, pp. 3707–3717, 2021.

[61] M. Sallam, "ChatGPTutility in healthcare education, research, and practice: systematic review on the promising perspectives and valid concerns," Healthcare, vol. 11, no. 6, p. 887, 2023